

**Welder Performance Qualification (WPQ)**  
**ASME Boiler and Pressure Vessel Code, Section IX, QW-301**

Company Name: [WeldCanada.com](http://WeldCanada.com)  
 Company Address: [info@WeldCanada.com](mailto:info@WeldCanada.com), 1 (877) 977-9353

Welder Performance Qualification WPQ No. **DEMO-WPQ** Test Date: **12,12, 2005**  
 Welding Procedure Specification WPS No. **DEMO-WPS** Rev. **0**  
 Welder's Name: **Elvis Tom Jones** Identification No: **ETJ-2005** Stamp No: **ETJ-05**

**BASE METALS (QW-403)**

P-No: 1 Group No: 1 Material Specification: SA-36 Type or Grade: \_

**Welded to**

P-No: 1 Group No: 1 Material Specification: SA-36 Type or Grade: \_

Thickness in (mm): 1/2 in. (13 mm)  Test Coupon  Production Weld  Plate  Pipe

**Welding Variables (QW-350)** **Actual Values** **Range Qualified**

	Actual Values		Range Qualified	
Diameter if pipe or tube, in (mm)	n/a		2-7/8 (73 mm) OD and over	
Backing	Without backing		With or without backing	
Base Metals P- or S-Number to P- or S-Number	1 to 1		P (S)-No. 1 to 11, 34, 41 to 49	
	<b>1st Process</b>	<b>2nd Process</b>	<b>1st Process</b>	<b>2nd Process</b>
Welding Process	GMAW	SMAW	GMAW	SMAW
Process Type	Semi-Automatic	Manual	Semi-Automatic	Manual
Welding Position Tested	3G	3G		
Vertical Progression	Uphill	Uphill	Uphill	Uphill
Position Qualified:				
(A) Groove, Plate and Pipe over 24 in. (610 mm) OD			F, V	F, V
(B) Groove, Pipe 2-7/8 in. (73 mm) to 24 in. (610 mm) OD, incl.			F	F
(C) Fillet, Plate and Pipe 2-7/8 in. (73 mm) OD and over			F, H, V	F, H, V
Filler Metal Specification (SFA)	SFA 5.18	SFA 5.1		
Filler Metal Classification	ER70S-6	E7018		
Filler Metal F-Number	6	4	6	1 to 4
Filler Metal Product Type (GTAW, PAW)	n/a	n/a	n/a	n/a
Deposited Weld Thickness *, in (mm)	1/8 in. (3 mm)	3/8 in. (10 mm)	1/4 in. (6 mm)	3/4 in. (20 mm)
*3 layers minimum of weld metal for each process				
Consumable Insert (GTAW, PAW)	n/a	n/a	n/a	n/a
GMAW Transfer Mode	Short Circuit	n/a	Short Circuit	n/a
GTAW Current Type/Polarity	n/a	n/a	n/a	n/a
Inert Gas Backing (GTAW, PAW, GMAW)	none	n/a	with or without	n/a
Type of Fuel Gas (OFW)	n/a	n/a	n/a	n/a

**Results**

Visual Examination of Completed Weld Result (QW-302.4): Acceptable criteria as per ASME QW-194  
 Guided-Bend Tests Type (QW-160): Transverse Side Bend Specimens (QW-462.2)  
 Alternative Radiographic Examination Results (QW-191): n/a RT Report No. \_  
 Result and Comments: Two side bend tests were examined as per ASME QW-462.2. Acceptable criteria as per ASME QW-163  
 Fillet-Weld Tests (QW-180): Plate [QW-462.4(b)]; Pipe-to-Plate or Pipe-to-Pipe [QW-462.4(c)]  
 Fracture Test (QW-182): n/a Length and Percent of Defects: \_  
 Macro-Examination (QW-184): \_ Fillet Size in (mm): \_ X \_ Concavity/Convexity in (mm): \_  
 Result and Comments: Groove weld test qualifies fillet weld test as well  
 Other tests and examinations: This Demo WPQ form has been prepared by WeldCanada.com's Online Welding Software  
 Film or specimens evaluated by: Tom Jones Company: Testing Lab Data, Inc.  
 Mechanical tests conducted by: Mechanical Group, Ltd. Laboratory Test No. 1012-MGL

Welding supervised by: WeldCanada.com's Certified Welding Inspector

**We certify that the statements in this record are correct and that the test coupons were prepared, welded, and tested in accordance with the requirements of Section IX of the ASME Boiler and Pressure Vessel Code.**

**Manufacturer/ Contractor**  
**Welding Engineer**

Name: Joe Smith  
 Title: Welding Engineer  
 Signature: J. S.  
 Date: 14, 12, 2005

**Authorized By:**

Name: James Bond  
 Title: QA Manager  
 Signature: J. B.  
 Date: 14, 12, 2005